



[www.explorercases.com](http://www.explorercases.com)



100% ABSOLUTE  
GUARANTEE  
FOREVER  
PROTECTION

**Pistol & Gun**  
**WATERPROOF CASES**



# MILITARY & LAW



## MOD. 7814

- Two side handles and front rubber grip handle
- Optional shoulder strap available



Automatic purge valve



New pull release latches and stainless steel padlockable points



Two side handles

## AVAILABLE COLORS



BLACK



MIL. GREEN



SAND


## INTERNAL CONFIGURATIONS



pre-cubed foam



convoluted foam



high density full foam



tactical gun bag



Gun bag  
Art. GBAG 76 (included)

| CODES AND COLORS        |            |          | INTERNAL CONFIGURATION | WEIGHT                  |       | VOLUME |       | BUOYANCY (max)          |       | TEMP. RATING        |                        |
|-------------------------|------------|----------|------------------------|-------------------------|-------|--------|-------|-------------------------|-------|---------------------|------------------------|
| BLACK                   | MIL. GREEN | SAND     |                        | Kg                      | Lbs   | Lt     | Gal   | Kg                      | Lbs   | °C                  | °F                     |
| 7814.BE                 | 7814.GE    | 7814.DE  | EMPTY                  | 5.50                    | 12.12 | 39.6   | 10.46 | 25.3                    | 55.77 | min. -33<br>max +90 | min. -27.4<br>max +194 |
| 7814.B                  | 7814.G     | 7814.D   | W/PRE CUBED FOAM       | 6.40                    | 14.11 |        |       |                         |       |                     |                        |
| 7814.BCV                | 7814.GCV   | 7814.DCV | W/CONVOLUTED FOAM      | 6.10                    | 13.44 |        |       |                         |       |                     |                        |
| 7814.BFF                | 7814.GFF   | 7814.DFF | W/FULL FOAM            | 6.70                    | 14.77 |        |       |                         |       |                     |                        |
| 7814.BGB                | 7814.GGB   | 7814.DGB | W/TACTICAL GUN BAG     | 6.85                    | 15.10 |        |       |                         |       |                     |                        |
| CERTIFICATIONS          |            |          |                        | INTERNAL DIM. (mm - in) |       |        |       | EXTERNAL DIM. (mm - in) |       |                     |                        |
| IP67                    |            |          |                        | L                       | W     | D      | Lid   | Base                    | L     | W                   | D                      |
| STANAG 4280 (ed. 2)     |            |          |                        | 780                     | 350   | 145    | 42    | 103                     | 846   | 427                 | 167                    |
| DEF STAN 81-41 (lev. J) |            |          |                        | 30.70                   | 13.77 | 5.70   | 1.65  | 4.05                    | 33.30 | 16.81               | 6.57                   |

NSN available for most models on demand





## Pistol & Gun WATERPROOF CASES

# ENFORCEMENT



Automatic purge  
valve



New pull release  
latches and  
stainless steel  
padlockable points



## MOD. 9413

- Two men lift side handles and large front handle
- Wheels with bearings
- Optional shoulder strap available (Art. SHOULDERKIT.U)

## AVAILABLE COLORS



BLACK

MIL. GREEN

SAND


## INTERNAL CONFIGURATIONS



pre-cubed foam



convoluted foam



high density full foam



tactical gun bag



Gun bag  
Art. GBAG 94 (included)

| CODES AND COLORS        |            |          | INTERNAL CONFIGURATION | WEIGHT                  |       | VOLUME |       | BUOYANCY (max)          |       | TEMP. RATING        |                        |
|-------------------------|------------|----------|------------------------|-------------------------|-------|--------|-------|-------------------------|-------|---------------------|------------------------|
| BLACK                   | MIL. GREEN | SAND     |                        | Kg                      | Lbs   | Lt     | Gal   | Kg                      | Lbs   | °C                  | °F                     |
| 9413.BE                 | 9413.GE    | 9413.DE  | EMPTY                  | 6.40                    | 14.11 | 45.30  | 11.96 | 27.9                    | 61.50 | min. -33<br>max +90 | min. -27.4<br>max +194 |
| 9413.B                  | 9413.G     | 9413.D   | W/PRE CUBED FOAM       | 7.30                    | 16.09 |        |       |                         |       |                     |                        |
| 9413.BCV                | 9413.GCV   | 9413.DCV | W/CONVOLUTED FOAM      | 7.10                    | 15.65 |        |       |                         |       |                     |                        |
| 9413.BFF                | 9413.GFF   | 9413.DFF | W/FULL FOAM            | 7.80                    | 17.19 |        |       |                         |       |                     |                        |
| 9413.BGB                | 9413.GGB   | 9413.DGB | W/TACTICAL GUN BAG     | 8.40                    | 18.51 |        |       |                         |       |                     |                        |
| CERTIFICATIONS          |            |          |                        | INTERNAL DIM. (mm - in) |       |        |       | EXTERNAL DIM. (mm - in) |       |                     |                        |
| IP67                    |            |          |                        | L                       | W     | D      | Lid   | Base                    | L     | W                   | D                      |
| STANAG 4280 (ed. 2)     |            |          |                        | 939                     | 352   | 137    | 43    | 94                      | 989   | 415                 | 157                    |
| DEF STAN 81-41 (lev. J) |            |          |                        | 36.96                   | 13.85 | 5.39   | 1.69  | 3.70                    | 38.93 | 16.33               | 6.18                   |



# MULTIGUN CASES



## MOD. 9433

- Two men lift side handles and large front handle
- Large wheels with bearings



Automatic purge valve



Large wheels with bearings

## AVAILABLE COLORS



BLACK

MIL. GREEN

ORANGE

SAND



## INTERNAL CONFIGURATIONS



pre-cubed foam



Shipping label holder



New pull release latches and stainless steel padlockable points

| CODES AND COLORS                                    |            |         |         | INTERNAL CONFIGURATION | WEIGHT                  |       | VOLUME |       | BUOYANCY (max) |                         | TEMP. RATING |            |
|-----------------------------------------------------|------------|---------|---------|------------------------|-------------------------|-------|--------|-------|----------------|-------------------------|--------------|------------|
| BLACK                                               | MIL. GREEN | SAND    | ORANGE  |                        | Kg                      | Lbs   | Lt     | Gal   | Kg             | Lbs                     | °C           | °F         |
| 9433.BE                                             | 9433.GE    | 9433.DE | 9433.OE | EMPTY                  | 10.2                    | 22.48 | 108    | 28.53 | 84.9           | 187.17                  | min. -33     | min. -27.4 |
| 9433.B                                              | 9433.G     | 9433.D  | 9433.O  | W/PRE CUBED FOAM       | 12.7                    | 27.99 |        |       |                |                         | max +90      | max +194   |
| CERTIFICATIONS                                      |            |         |         |                        | INTERNAL DIM. (mm - in) |       |        |       |                | EXTERNAL DIM. (mm - in) |              |            |
| IP67 STANAG 4280 (ed. 2)<br>DEF STAN 81-41 (lev. J) |            |         |         |                        | L                       | W     | D      | Lid   | Base           | L                       | W            | D          |
|                                                     |            |         |         |                        | 936                     | 350   | 330    | 42    | 288            | 1009                    | 412          | 354        |
|                                                     |            |         |         |                        | 36.85                   | 13.77 | 12.99  | 1.65  | 11.33          | 39.72                   | 16.22        | 13.93      |



## Pistol & Gun WATERPROOF CASES

# LONG CASES



### MOD. 11413

- Two men lift side handles and large front handle
- Wheels with bearings
- Optional shoulder strap available (Art. SHOULDERKIT.U)



New pull release latches and stainless steel padlockable points



Automatic purge valve

### AVAILABLE COLORS



BLACK

MIL. GREEN

SAND


### INTERNAL CONFIGURATIONS



pre-cubed foam



convoluted foam



high density full foam



tactical gun bag



Gun bag  
Art. GBAG 114 (included)

| CODES AND COLORS        |            |           | INTERNAL           | WEIGHT                  |       | VOLUME |       | BUOYANCY (max)          |       | TEMP. RATING        |                        |
|-------------------------|------------|-----------|--------------------|-------------------------|-------|--------|-------|-------------------------|-------|---------------------|------------------------|
| BLACK                   | MIL. GREEN | SAND      | CONFIGURATION      | Kg                      | Lbs   | Lt     | Gal   | Kg                      | Lbs   | °C                  | °F                     |
| 11413.BE                | 11413.GE   | 11413.DE  | EMPTY              | 8.20                    | 18.07 | 53.7   | 14.18 | 33.3                    | 73.41 | min. -33<br>max +90 | min. -27.4<br>max +194 |
| 11413.B                 | 11413.G    | 11413.D   | W/PRE CUBED FOAM   | 9.30                    | 20.50 |        |       |                         |       |                     |                        |
| 11413.BCV               | 11413.GCV  | 11413.DCV | W/CONVOLUTED FOAM  | 9.10                    | 20.06 |        |       |                         |       |                     |                        |
| 11413.BFF               | 11413.GFF  | 11413.DFF | W/FULL FOAM        | 9.80                    | 21.60 |        |       |                         |       |                     |                        |
| 11413.BGB               | 11413.GGB  | 11413.DGB | W/TACTICAL GUN BAG | 10.30                   | 22.70 |        |       |                         |       |                     |                        |
| CERTIFICATIONS          |            |           |                    | INTERNAL DIM. (mm - in) |       |        |       | EXTERNAL DIM. (mm - in) |       |                     |                        |
| IP67                    |            |           |                    | L                       | W     | D      | Lid   | Base                    | L     | W                   | D                      |
| STANAG 4280 (ed. 2)     |            |           |                    | 1136                    | 350   | 135    | 42    | 93                      | 1189  | 415                 | 159                    |
| DEF STAN 81-41 (lev. J) |            |           |                    | 44.72                   | 13.77 | 5.31   | 1.65  | 3.66                    | 46.81 | 16.33               | 6.25                   |



# LONG CASES



New pull release  
latches and  
stainless steel  
padlockable points



## MOD. 13513

- Two men lift side handles and large front handle
- Wheels with bearings
- Optional shoulder strap available  
(Art. SHOULDERKIT.U)



Automatic purge valve

## AVAILABLE COLORS



BLACK


MIL. GREEN

SAND


## INTERNAL CONFIGURATIONS



pre-cubed foam



convoluted foam



high density full foam



tactical gun bag



Gun bag  
Art. GBAG 135 (included)

| CODES AND COLORS        |            |           | INTERNAL           | WEIGHT                  |       | VOLUME |       | BUOYANCY (max)          |       | TEMP. RATING        |                        |
|-------------------------|------------|-----------|--------------------|-------------------------|-------|--------|-------|-------------------------|-------|---------------------|------------------------|
| BLACK                   | MIL. GREEN | SAND      | CONFIGURATION      | Kg                      | Lbs   | Lt     | Gal   | Kg                      | Lbs   | °C                  | °F                     |
| 13513.BE                | 13513.GE   | 13513.DE  | EMPTY              | 9.50                    | 20.94 | 63.7   | 16.82 | 39.5                    | 87.08 | min. -33<br>max +90 | min. -27.4<br>max +194 |
| 13513.B                 | 13513.G    | 13513.D   | W/PRE CUBED FOAM   | 10.80                   | 23.81 |        |       |                         |       |                     |                        |
| 13513.BCV               | 13513.GCV  | 13513.DCV | W/CONVOLUTED FOAM  | 10.50                   | 23.14 |        |       |                         |       |                     |                        |
| 13513.BFF               | 13513.GFF  | 13513.DFF | W/FULL FOAM        | 11.50                   | 25.35 |        |       |                         |       |                     |                        |
| 13513.BGB               | 13513.GGB  | 13513.DGB | W/TACTICAL GUN BAG | 11.80                   | 26.01 |        |       |                         |       |                     |                        |
| CERTIFICATIONS          |            |           |                    | INTERNAL DIM. (mm - in) |       |        |       | EXTERNAL DIM. (mm - in) |       |                     |                        |
| IP67                    |            |           |                    | L                       | W     | D      | Lid   | Base                    | L     | W                   | D                      |
| STANAG 4280 (ed. 2)     |            |           |                    | 1350                    | 350   | 135    | 42    | 93                      | 1430  | 415                 | 159                    |
| DEF STAN 81-41 (lev. J) |            |           |                    | 53.14                   | 13.77 | 5.31   | 1.65  | 3.66                    | 56.29 | 16.33               | 6.25                   |

NSN available for most  
models on demand



**Pistol & Gun**  
WATERPROOF CASES

# DEEP GUN CASES



## MOD. 13527

- Two men lift side handles and large front handle
- 3+3 wheels with bearings

## AVAILABLE COLORS




BLACK

MIL. GREEN

SAND

## INTERNAL CONFIGURATIONS



pre-cubed foam



high density full foam



Automatic purge valve



New pull release latches and stainless steel padlockable points



Two men lift side handles



3+3 wheels with bearings

| CODES AND COLORS                                       |            |           | INTERNAL         | WEIGHT                  |       | VOLUME |       | BUOYANCY (max)          |        | TEMP. RATING        |                        |
|--------------------------------------------------------|------------|-----------|------------------|-------------------------|-------|--------|-------|-------------------------|--------|---------------------|------------------------|
| BLACK                                                  | MIL. GREEN | SAND      | CONFIGURATION    | Kg                      | Lbs   | Lt     | Gal   | Kg                      | Lbs    | °C                  | °F                     |
| 13527.BE                                               | 13527.GE   | 13527.DE  | EMPTY            | 12.90                   | 28.44 | 128.5  | 33.94 | 97.5                    | 214.95 | min. -33<br>max +90 | min. -27.4<br>max +194 |
| 13527.B                                                | 13527.G    | 13527.D   | W/PRE CUBED FOAM | 15.00                   | 33.06 |        |       |                         |        |                     |                        |
| 13527.BFF                                              | 13527.GFF  | 13527.DFF | W/FULL FOAM      | 17.20                   | 37.92 |        |       |                         |        |                     |                        |
| CERTIFICATIONS                                         |            |           |                  | INTERNAL DIM. (mm - in) |       |        |       | EXTERNAL DIM. (mm - in) |        |                     |                        |
| IP67<br>STANAG 4280 (ed. 2)<br>DEF STAN 81-41 (lev. J) |            |           |                  | L                       | W     | D      | Lid   | Base                    | L      | W                   | D                      |
|                                                        |            |           |                  | 1350                    | 350   | 272    | 42    | 230                     | 1430   | 415                 | 296                    |
|                                                        |            |           |                  | 53.14                   | 13.77 | 10.70  | 1.65  | 9.05                    | 56.29  | 16.33               | 11.65                  |



# THE LONGEST RIFLE CASE



## MOD. 15416

- Side handles and large front handle
- Self-oiling free running wheels
- Double automatic purge valves

## AVAILABLE COLORS



BLACK

MIL. GREEN

SAND

## INTERNAL CONFIGURATIONS



pre-cubed foam



high density full foam



New wide pull release latches grant additional safety drop test proof



Double automatic purge valves



Two men lift side handles



Self-oiling free running wheels

| CODES AND COLORS        |            |           | INTERNAL CONFIGURATION | WEIGHT                  |       | VOLUME |       | BUOYANCY (max)          |        | TEMP. RATING        |                        |
|-------------------------|------------|-----------|------------------------|-------------------------|-------|--------|-------|-------------------------|--------|---------------------|------------------------|
| BLACK                   | MIL. GREEN | SAND      |                        | Kg                      | Lbs   | Lt     | Gal   | Kg                      | Lbs    | °C                  | °F                     |
| 15416.BE                | 15416.GE   | 15416.DE  | EMPTY                  | 11.50                   | 25.35 | 92.9   | 24.54 | 61.6                    | 135.80 | min. -33<br>max +90 | min. -27.4<br>max +194 |
| 15416.B                 | 15416.G    | 15416.D   | W/PRE CUBED FOAM       | 13.60                   | 29.98 |        |       |                         |        |                     |                        |
| 15416.BFF               | 15416.GFF  | 15416.DFF | W/FULL FOAM            | 14.30                   | 31.52 |        |       |                         |        |                     |                        |
| CERTIFICATIONS          |            |           |                        | INTERNAL DIM. (mm - in) |       |        |       | EXTERNAL DIM. (mm - in) |        |                     |                        |
| IP67                    |            |           |                        | L                       | W     | D      | Lid   | Base                    | L      | W                   | D                      |
| STANAG 4280 (ed. 2)     |            |           |                        | 1540                    | 377   | 160    | 42    | 118                     | 1629   | 456                 | 183                    |
| DEF STAN 81-41 (lev. J) |            |           |                        | 60.62                   | 14.84 | 6.29   | 1.65  | 4.64                    | 64.13  | 17.95               | 7.20                   |

NSN available for most models on demand





# MULTI-WEAPONS



**MOD. 10826**



## Pistol & Gun WATERPROOF CASES



Padlockable points  
and heavy duty  
metal latches

- Models **10826.B D2** and **10826.B D4** are set with internal pre-shaped foam bedding and metal lock bars for 6 weapons and 12 magazines.
- Model **10826.B D5** is set with a plastic molded rifle bedding and adjustable barrel rests, that allows for 6 guns of various lengths to be stored with mounted optics. Metal lock bar is padlock-able and completely removable. Magazines and accessories can be stored in the large Velcro-ed net pouch.

**All versions are able to accommodate most popular guns such as G36, MP5, M4, M16, AR 70/90.**

**CUSTOM WEAPONS RACKING SYSTEM AVAILABLE ON REQUEST**

## CONFIGURATIONS AVAILABLE COLOR: BLACK



pre-cubed foam  
hinged lid  
**Mod. 10826.B**



pre-cut foam for 6  
rifles - hinged lid  
**Mod. 10826.B D2**



pre-cut foam for 6  
rifles - detach. lid  
**Mod. 10826.B D4**




adj barrel length for 6  
rifles - detach. lid  
**Mod. 10826.B D5**




Art. EX.METALPLATE  
Optional padlock-able  
accessory to secure the  
open or closed case  
in vertical position to  
the wall. **Fits all mod.  
10826 & 10840.**



Automatic purge  
valve



Lockable metal bar  
to secure the guns.  
(on models 10826.  
BD2 & 10826.B D4)



The metal bar can  
be detached and  
securely hooked  
to the in-built  
padlockable point  
of the case  
(on model 10826.B D5)



Two adjustable barrel systems  
can be slid up and down  
independently to accommodate  
various barrel length. The  
large net pouch can secure  
magazines and accessories  
(on model 10826.B D5)

| CODES AND COLORS                                     |             | INTERNAL             | WEIGHT                  |       | VOLUME |       | BUOYANCY (max)          |        | TEMP. RATING        |                        |
|------------------------------------------------------|-------------|----------------------|-------------------------|-------|--------|-------|-------------------------|--------|---------------------|------------------------|
| BLACK                                                |             | CONFIGURATION        | Kg                      | Lbs   | Lt     | Gal   | Kg                      | Lbs    | °C                  | °F                     |
| 10826.BE                                             | HINGED LID  | EMPTY                | 18.40                   | 40.56 | 174    | 45.96 | 120.6                   | 265.87 | min. -33<br>max +90 | min. -27.4<br>max +194 |
| 10826.B                                              | HINGED LID  | PRE CUBED FOAM       | 21.60                   | 47.62 |        |       |                         |        |                     |                        |
| 10826.B D2                                           | HINGED LID  | FOAM X 6 RIFLES      | 20.01                   | 44.11 |        |       |                         |        |                     |                        |
| 10826.B D4                                           | DETACH. LID | FOAM X 6 RIFLES      | 19.70                   | 43.43 |        |       |                         |        |                     |                        |
| 10826.B D5                                           | DETACH. LID | ADJ BARREL RESTS x 6 | 21.80                   | 48.06 |        |       |                         |        |                     |                        |
| CERTIFICATIONS                                       |             |                      | INTERNAL DIM. (mm - in) |       |        |       | EXTERNAL DIM. (mm - in) |        |                     |                        |
| IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J) |             |                      | L                       | W     | D      | Lid   | Base                    | L      | W                   | D                      |
| 10826.B                                              |             |                      | 1080                    | 620   | 260    | 60    | 200                     | 1178   | 725                 | 287                    |
|                                                      |             |                      | 42.51                   | 24.40 | 10.23  | 2.36  | 7.87                    | 46.37  | 28.54               | 11.29                  |

Padlockable points  
and heavy duty  
metal latches



# MULTI-WEAPONS



**MOD. 10840**

- Models **10840.B D2** and **10840.B D4** are set with internal pre-shaped foam bedding and metal lock bars for 6+6 weapons and 12+12 magazines.
- Model **10840.B D5** is set with a plastic molded rifle bedding and adjustable barrel rests, that allows for 6+6 guns of various lengths to be stored with mounted optics. Metal lock bars are padlock-able and completely removable. Magazines and accessories can be stored in the large Velcro-ed net pouch.

**All versions are able to accommodate most popular guns such as G36, MP5, M4, M16, AR 70/90.**

**CUSTOM WEAPONS RACKING SYSTEM AVAILABLE ON REQUEST**

## CONFIGURATIONS AVAILABLE COLORS: BLACK and MILITARY GREEN



pre-cubed foam  
50/50 split lid  
and base

**Mod. 10840.B**



pre-cut foam for 6+6 rifles  
with humidity gauge  
50/50 split lid and base

**Mod. 10840.B D1**



HUMIDITY  
GAUGE



pre-cut foam for 6+6 rifles  
without humidity gauge  
50/50 split lid and base

**Mod. 10840.B D2**



adj barrel length for  
6+6 rifles. 50/50  
split lid and base

**Mod. 10840.B D5**




Automatic purge  
valve




Two men lift side  
handles



4 self-oiling free  
running wheels



Lockable metal bar  
to secure the guns.  
(on models 10840.  
BD1 & 10840.B D2)



The metal bar can  
be detached and  
securely hooked  
to the in-built  
padlockable point  
of the case  
(on model 10840.B D5)



Two adjustable barrel systems can  
be slid up and down independently  
to accommodate various barrel  
length. The large net pouch can  
secure magazines and accessories  
(on model 10840.B D5)

| CODES AND COLORS                                     |            |         | INTERNAL CONFIGURATION | WEIGHT                  |       | VOLUME |       | BUOYANCY                |        | TEMP. RATING        |                        |
|------------------------------------------------------|------------|---------|------------------------|-------------------------|-------|--------|-------|-------------------------|--------|---------------------|------------------------|
| BLACK                                                | MIL. GREEN |         |                        | Kg                      | Lbs   | Lt     | Gal   | Kg                      | Lbs    | °C                  | °F                     |
| 10840.BE                                             | 10840.GE   | DETACH. | EMPTY                  | 22.80                   | 50.26 | 260    | 68.68 | 120.6                   | 265.87 | min. -33<br>max +90 | min. -27.4<br>max +194 |
| 10840.B                                              | 10840.G    | DETACH. | PRE CUBED FOAM         | 28.40                   | 62.61 |        |       |                         |        |                     |                        |
| 10840.B D1                                           | 10840.G D1 | DETACH. | FOAM X 6 RIFLES + HUM. | 25.70                   | 56.65 |        |       |                         |        |                     |                        |
| 10840.B D2                                           | 10840.G D2 | DETACH. | FOAM X 6 RIFLES        | 25.70                   | 56.65 |        |       |                         |        |                     |                        |
| 10840.B D5                                           | 10840.G D5 | DETACH. | ADJ BARREL RESTS x 6+6 | 29.90                   | 65.91 |        |       |                         |        |                     |                        |
| CERTIFICATIONS                                       |            |         |                        | INTERNAL DIM. (mm - in) |       |        |       | EXTERNAL DIM. (mm - in) |        |                     |                        |
| IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J) |            |         |                        | L                       | W     | D      | Lid   | Base                    | L      | W                   | D                      |
| 10840.B - 10840.G                                    |            |         |                        | 1080                    | 620   | 400    | 200   | 200                     | 1178   | 718                 | 427                    |
|                                                      |            |         |                        | 42.51                   | 24.40 | 15.74  | 7.87  | 7.87                    | 46.37  | 28.26               | 16.81                  |

NSN available for most  
models on demand



# PISTOL CASES



## MOD. 2712

IDEAL TO STORE UP TO 2 PISTOLS WITH MAGAZINES AND ACCESSORIES

- Lid can be set to slide-off
- Counterbalance supports



Pressure release valve



Padlockable points

## << Mod. 2712.BCV

Case equipped with convoluted foam in both the bottom and the lid, and an additional middle double-sided convoluted foam separator.

## INTERNAL CONFIGURATIONS



pre-cubed foam



convoluted foam

## AVAILABLE COLORS



BLACK

MIL. GREEN

ORANGE

| CODES AND COLORS                                               |            |          | INTERNAL CONFIGURATION | WEIGHT                  |      | VOLUME |      | BUOYANCY (max)          |       | TEMP. RATING        |                        |
|----------------------------------------------------------------|------------|----------|------------------------|-------------------------|------|--------|------|-------------------------|-------|---------------------|------------------------|
| BLACK                                                          | MIL. GREEN | ORANGE   |                        | Kg                      | Lbs  | Lt     | Gal  | Kg                      | Lbs   | °C                  | °F                     |
| 2712.BE                                                        | 2712.GE    | 2712.OE  | EMPTY                  | 1.62                    | 3.57 | 6.6    | 1.58 | 4.2                     | 9.25  | min. -33<br>max +90 | min. -27.4<br>max +194 |
| 2712.B                                                         | 2712.G     | 2712.O   | W/PRE CUBED FOAM       | 1.83                    | 4.03 |        |      |                         |       |                     |                        |
| 2712.BCV                                                       | 2712.GCV   | 2712.OCV | W/CONVOLUTED FOAM      | 1.50                    | 3.30 |        |      |                         |       |                     |                        |
| CERTIFICATIONS                                                 |            |          |                        | INTERNAL DIM. (mm - in) |      |        |      | EXTERNAL DIM. (mm - in) |       |                     |                        |
| IP67<br><br>STANAG 4280 (ed. 2)<br><br>DEF STAN 81-41 (lev. J) |            |          |                        | L                       | W    | D      | Lid  | Base                    | L     | W                   | D                      |
|                                                                |            |          |                        | 276                     | 200  | 120    | 35   | 85                      | 305   | 270                 | 144                    |
|                                                                |            |          |                        | 10.86                   | 7.87 | 4.72   | 1.37 | 3.34                    | 12.00 | 10.62               | 5.66                   |



# PISTOL CASES

## MOD. 3005

IDEAL TO STORE 1 PISTOL WITH MAGAZINES AND ACCESSORIES

- Stainless steel padlockable points
- Can be stored in vertical position
- Recessable handle

### << Mod. 3005.BCV

Case equipped with convoluted foam in both the bottom and the lid.



Optional shoulder kit can be mounted (Art. SHOULDERKIT.U)



Stainless steel reinforced padlockable points



Can be stored in vertical position



Recessable handle keeps the case in flat horizontal position



Pressure release valve

### Mod. 3005.DGB >>

Protects the pistol in the padded velcroed pouch, stores 5 magazines and a cleaning rod in the elasticated loops.



Up to 5 magazines

## INTERNAL CONFIGURATIONS



pre-cubed foam

convoluted foam

padded pistol bag



Pistol bag Art. GBAG 30 (included)

## AVAILABLE COLORS



BLACK

MIL. GREEN

SAND

ORANGE

| CODES AND COLORS        |            |          |          | INTERNAL          | WEIGHT                  |      | VOLUME |      | BUOYANCY (max) |                         | TEMP. RATING        |                        |
|-------------------------|------------|----------|----------|-------------------|-------------------------|------|--------|------|----------------|-------------------------|---------------------|------------------------|
| BLACK                   | MIL. GREEN | SAND     | ORANGE   | CONFIGURATION     | Kg                      | Lbs  | Lt     | Gal  | Kg             | Lbs                     | °C                  | °F                     |
| 3005.BE                 | 3005.GE    | 3005.DE  | 3005.OE  | EMPTY             | 1.10                    | 2.42 | 4      | 1.05 | 2.10           | 4.62                    | min. -33<br>max +90 | min. -27.4<br>max +194 |
| 3005.B                  | 3005.G     | 3005.D   | 3005.O   | W/PRE CUBED FOAM  | 1.20                    | 2.64 |        |      |                |                         |                     |                        |
| 3005.BCV                | 3005.GCV   | 3005.DCV | 3005.OCV | W/CONVOLUTED FOAM | 1.00                    | 2.20 |        |      |                |                         |                     |                        |
| 3005.BGB                | 3005.GGB   | 3005.DGB | 3005.OGB | W/PISTOL BAG      | 1.40                    | 3.08 |        |      |                |                         |                     |                        |
| CERTIFICATIONS          |            |          |          |                   | INTERNAL DIM. (mm - in) |      |        |      |                | EXTERNAL DIM. (mm - in) |                     |                        |
| IP67                    |            |          |          |                   | L                       | W    | D      | Lid  | Base           | L                       | W                   | D                      |
| STANAG 4280 (ed. 2)     |            |          |          |                   | 300                     | 210  | 58     | 20   | 38             | 326                     | 269                 | 75                     |
| DEF STAN 81-41 (lev. J) |            |          |          |                   | 11.81                   | 8.26 | 2.28   | 0.78 | 1.49           | 12.83                   | 10.59               | 2.95                   |

NSN available for most models on demand





# SOLUTIONS



## Mod. 4209.BGB >>

IDEAL TO STORE UP TO 2  
PISTOLS WITH MAGAZINES AND  
ACCESSORIES

Protects the pistols in the  
padded velcroed pouch,  
stores 5 magazines and  
a cleaning rod in the  
elasticated loops.



## MOD. 4209

- Rubber grip handle
- Stainless steel padlockable points
- Optional shoulder strap available

Internal  
securing  
straps for  
magazines.

Up to 5  
magazines.



Optional shoulder  
kit can be mounted  
(Art. SHOULDERKIT.U)



Automatic  
purge valve



Pull release latches  
and stainless steel  
padlockable points

## INTERNAL CONFIGURATIONS



pre-cubed  
foam



convoluted  
foam



padded  
pistol bag



Pistol bag  
Art. GBAG 42  
(included)

## AVAILABLE COLORS



BLACK MIL. GREEN ORANGE SAND

| CODES AND COLORS                                    |            |          |          | INTERNAL<br>CONFIGURATION | WEIGHT                  |       | VOLUME |      | BUOYANCY (max) |                         | TEMP. RATING        |                        |
|-----------------------------------------------------|------------|----------|----------|---------------------------|-------------------------|-------|--------|------|----------------|-------------------------|---------------------|------------------------|
| BLACK                                               | MIL. GREEN | SAND     | ORANGE   |                           | Kg                      | Lbs   | Lt     | Gal  | Kg             | Lbs                     | °C                  | °F                     |
| 4209.BE                                             | 4209.GE    | 4209.DE  | 4209.OE  | EMPTY                     | 2                       | 4.85  | 12     | 3.17 | 6,8            | 14.99                   | min. -33<br>max +90 | min. -27.4<br>max +194 |
| 4209.B                                              | 4209.G     | 4209.D   | 4209.O   | W/PRE CUBED FOAM          | 2.4                     | 5.29  |        |      |                |                         |                     |                        |
| 4209.BCV                                            | 4209.GCV   | 4209.DCV | 4209.OCV | W/CONVOLUTED              | 2.4                     | 5.29  |        |      |                |                         |                     |                        |
| 4209.BGB                                            | 4209.GGB   | 4209.DGB | 4209.OGB | W/PISTOL BAG              | 2.57                    | 5.66  |        |      |                |                         |                     |                        |
| CERTIFICATIONS                                      |            |          |          |                           | INTERNAL DIM. (mm - in) |       |        |      |                | EXTERNAL DIM. (mm - in) |                     |                        |
| IP67 STANAG 4280 (ed. 2)<br>DEF STAN 81-41 (lev. J) |            |          |          |                           | L                       | W     | D      | Lid  | Base           | L                       | W                   | D                      |
|                                                     |            |          |          |                           | 420                     | 300   | 95     | 35   | 60             | 457                     | 367                 | 118                    |
|                                                     |            |          |          |                           | 16.53                   | 11.81 | 3.74   | 1.37 | 2.36           | 17.99                   | 14.44               | 4.64                   |



# PISTOL CASES

## MOD. 4419

**IDEAL TO STORE UP TO 6 PISTOLS AND 12 MAGAZINES**


- Stainless steel reinforced padlockable points
- Soft grip rubber handle
- Optional shoulder kit can be mounted (Art. SHOULDERKIT.U)
- Lid can be set to slide-off



Optional shoulder kit can be mounted (Art. SHOULDERKIT.U)



Stainless steel reinforced padlockable points



Pressure release valve



Self-oiling free running wheels



## MOD. 5221

**IDEAL TO STORE UP TO 6 PISTOLS AND 12 MAGAZINES**

- Soft grip rubber handle and telescopic handle
- New pull release latch grants additional safety
- Self-oiling free running wheels
- Lid can be set to slide-off



Optional shipping label holder (Art. KIN.1224)



Pull release latches and stainless steel padlockable points



Automatic purge valve

## AVAILABLE COLOR



BLACK



BLACK

| CODES AND COLORS                                     |  |                       | INTERNAL                |       | WEIGHT |      | VOLUME |                         | BUOYANCY (max)      |                        | TEMP. RATING |  |
|------------------------------------------------------|--|-----------------------|-------------------------|-------|--------|------|--------|-------------------------|---------------------|------------------------|--------------|--|
| BLACK                                                |  | CONFIGURATION         | Kg                      | Lbs   | Lt     | Gal  | Kg     | Lbs                     | °C                  | °F                     |              |  |
| 4419.B.6P                                            |  | FOAM x 6 PISTOLS + 12 | 4.35                    | 9.59  | 29.20  | 7.66 | 19.7   | 43.43                   | min. -33<br>max +90 | min. -27.4<br>max +194 |              |  |
| 5221.B.6P                                            |  | FOAM x 6 PISTOLS + 12 | 4.40                    | 9.70  | 30.30  | 8.00 | 20.0   | 44.09                   |                     |                        |              |  |
| CERTIFICATIONS                                       |  |                       | INTERNAL DIM. (mm - in) |       |        |      |        | EXTERNAL DIM. (mm - in) |                     |                        |              |  |
| IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J) |  |                       | L                       | W     | D      | Lid  | Base   | L                       | W                   | D                      |              |  |
| 4419.B.6P                                            |  |                       | 445                     | 345   | 190    | 47   | 143    | 474                     | 415                 | 214                    |              |  |
|                                                      |  |                       | 17.51                   | 13.58 | 7.48   | 1.85 | 5.62   | 18.66                   | 16.33               | 8.42                   |              |  |
| 5221.B.6P                                            |  |                       | 520                     | 285   | 205    | 55   | 150    | 550                     | 350                 | 225                    |              |  |
|                                                      |  |                       | 20.47                   | 11.22 | 8.07   | 2.16 | 5.90   | 21.65                   | 13.77               | 8.85                   |              |  |

OTHER MULTI PISTOL CASES SOLUTIONS AVAILABLE

NSN available for most models on demand





# SOLUTIONS

## Pistol & Gun WATERPROOF CASES



Stainless steel  
reinforced  
padlockable points



Self-oiling free  
running wheels

### MOD. 5823

**IDEAL TO STORE UP TO 12 PISTOLS AND 24 MAGAZINES**

- Side handles and soft grip rubber handle
- Stainless steel reinforced padlockable points
- Wheels and telescopic handle

Pressure  
release valve  
**on both 5823  
and 7630 mod.**



Self-oiling free  
running wheels



Stainless steel  
reinforced  
padlockable points

### MOD. 7630

**IDEAL TO STORE UP TO 24 PISTOLS AND 48 MAGAZINES**

- Side handles and large front handle
- Wheels and retractable handle
- Stainless steel reinforced padlockable points

### AVAILABLE COLOR



BLACK



BLACK



| CODES AND COLORS                                     |  |                        | INTERNAL                |       | WEIGHT |       | VOLUME                  |        | BUOYANCY (max) |       | TEMP. RATING |  |
|------------------------------------------------------|--|------------------------|-------------------------|-------|--------|-------|-------------------------|--------|----------------|-------|--------------|--|
| BLACK                                                |  | CONFIGURATION          | Kg                      | Lbs   | Lt     | Gal   | Kg                      | Lbs    | °C             | °F    |              |  |
| 5823.B.12P                                           |  | FOAM x 12 PISTOLS + 24 | 9.80                    | 21.60 | 56.1   | 14.79 | 36.7                    | 80.90  | min. -33       |       | min. -27.4   |  |
| 7630.B.24P                                           |  | FOAM x 24 PISTOLS + 48 | 15.00                   | 33.06 | 113.1  | 29.85 | 81.80                   | 180.33 | max +90        |       | max +194     |  |
| CERTIFICATIONS                                       |  |                        | INTERNAL DIM. (mm - in) |       |        |       | EXTERNAL DIM. (mm - in) |        |                |       |              |  |
| IP67 - STANAG 4280 (ed. 2) - DEF STAN 81-41 (lev. J) |  |                        | L                       | W     | D      | Lid   | Base                    | L      | W              | D     |              |  |
| 5823.B.12P                                           |  |                        | 580                     | 440   | 220    | 60    | 160                     | 670    | 510            | 262   |              |  |
|                                                      |  |                        | 22.83                   | 17.32 | 8.66   | 2.36  | 6.29                    | 26.37  | 20.07          | 10.31 |              |  |
| 7630.B.24P                                           |  |                        | 765                     | 485   | 305    | 60    | 245                     | 860    | 560            | 355   |              |  |
|                                                      |  |                        | 30.11                   | 19.09 | 12.00  | 2.36  | 9.64                    | 33.85  | 22.04          | 13.97 |              |  |

OTHER MULTI PISTOL CASES SOLUTIONS AVAILABLE



## GUN BAGS

Heavy duty padded gunbags designed in different sizes to suit most different models of guns and accessories, for a safe protection and transportation.

# TACTICAL GUN BAGS

ADJUSTABLE  
INTERNAL  
STRAPS TO  
SECURE RIFLE  
POSITION

NEOPRENE HOOK  
& LOOP SIDE  
FLAPS

EXTERNAL PADDED ZIPPED  
POUCHES FOR MAGAZINES  
AND/OR ACCESSORIES

HEAVY DUTY  
PADDED FABRIC

DURABLE  
ZIPPERS WITH  
NYLON PULLS



Art. BACKPACK KIT (optional)  
ALL GUNBAGS ARE FITTABLE  
WITH A PRACTICAL SHOULDER  
STRAP FOR BACKPACK USE.



### GBAG 30

Fits case 3005  
Ext. Dim. 300x210x40 mm.  
11 13/16 x 8 1/4 x 1 9/16 in



### GBAG 42

Fits case 4209  
Ext. Dim. 410x300x95 mm.  
16 1/8 x 11 13/16 x 3 3/4 in



### GBAG 44

Fits case 4412  
Ext. Dim. 445x345x90 mm.  
17 1/2 x 13 9/16 x 3 9/16 in



### GBAG 58

Fits case 5833  
Ext. Dim. 580x330x135 mm.  
22 13/16 x 13 x 5 5/16 in


4/5 pcs



## Pistol & Gun WATERPROOF CASES





Shoulder strap included



**GBAG 76**  
Fits cases 7630, 7641  
and 7814  
Ext. Dim. 765x415x135 mm.  
30 1/8 x 16 5/16 x 5 5/16 in




Shoulder strap included



**GBAG 94**  
Fits cases 9413 and 9433  
Ext. Dim. 939x352x135 mm.  
36 15/16 x 13 7/8 x 5 5/16 in




Shoulder strap included



**GBAG 114**  
Fits case 11413  
Ext. Dim. 1136x350x135 mm.  
44 3/4 x 13 3/4 x 5 5/16 in



Shoulder strap included



**GBAG 135**  
Fits cases 13513 and 13527  
Ext. Dim. 1350x350x135 mm.  
53 1/8 x 13 3/4 x 5 5/16 in



Shoulder strap included



**GBAG 108**  
Fits cases 10826 and 10840  
Ext. Dim. 1080x400x135 mm.  
42 1/2 x 15 3/4 x 5 5/16 in



Tactical heavy duty padded fabric gunbag suitable for long gun or sniper rifles, magazines and accessories. The best weapon protection.

Fits case mod. 15416.

Ext. Dim. 1540x365x70/160 mm.

60 5/8 x 14 13/16 x 2 3/4 - 6 5/16 in.

Weight 3 Kg. - 6.6 lbs.



# PADDED GUN BAGS



Shoulder strap included



External padded zipped pouches for magazines and accessories

**GBAG 154**



Full-opening zipper for shooting mat configuration

Fits case mod. 15416

Internal weapon securing straps

Neoprene Hook&Loop flaps



Fittable with the optional backpack system in the rear (Art. BACKPACK KIT).

## GUN SLEEVES

Designed to protect your rifle and accessories, these new well-padded budget gun bags are lightweight and durable, provided with inner straps to keep your firearm properly secured.



**GSLEEVE 78** (fits case 7814)  
Ext. Dim. 780x340x80 mm.  
30 11/16 x 13 3/8 x 3 1/8 in.



**GSLEEVE 94** (fits case 9413)  
Ext. Dim. 935x340x70 mm.  
36 13/16 x 13 3/8 x 2 3/4 in.



**GSLEEVE 114** (fits case 11413)  
Ext. Dim. 1135x340x70 mm.  
44 11/16 x 13 3/8 x 2 3/4 in.



**GSLEEVE 135** (fits case 13513)  
Ext. Dim. 1345x340x70 mm.  
52 15/16 x 13 3/8 x 2 3/4 in.



# MULTI-UTILITY BOX



- Moulded High Impact Polypropylene
- Moulded integral lifting points on both ends
- Full length steel hinge pin to lid
- Positive grab over latching catches
- Use in high/low temp environments
- Slide out clear ID Nameplate holder
- Large fold flat carry handle
- Padlocking provision and stacking location points



WATER RESISTANT



## MUB78

- Empty
- Trolley case integral wheels and hinge out pull handle

Art. KIT TRAY MUB - Optional Tray with removable divider for tools, instruments or spare parts. MUB78 can fit up to two trays. Elasticated bands for the tray also available (art. KIT03).



## MUB65

- Empty

## AVAILABLE COLORS




BLACK

MIL. GREEN

SAND

| CODES AND COLORS        |            |           | INTERNAL      | WEIGHT |       | VOLUME |       | BUOYANCY (max) |        |                         |       |  |
|-------------------------|------------|-----------|---------------|--------|-------|--------|-------|----------------|--------|-------------------------|-------|--|
| BLACK                   | MIL. GREEN | SAND      | CONFIGURATION | Kg     | Lbs   | Lt     | Gal   | Kg             | Lbs    |                         |       |  |
| MUB 65                  | MUB 65.GE  | MUB 65.DE | EMPTY         | 4.40   | 9.70  | 61.5   | 16.24 | 42.7           | 94.13  |                         |       |  |
| MUB 78                  | MUB 78.GE  | MUB 78.DE | EMPTY         | 6.30   | 13.88 | 89     | 23.51 | 80.5           | 177.47 |                         |       |  |
| INTERNAL DIM. (mm - in) |            |           |               |        |       |        |       |                |        | EXTERNAL DIM. (mm - in) |       |  |
|                         |            |           |               | L      | W     | D      | Lid   | Base           | L      | W                       | D     |  |
|                         |            |           | MUB 65 >>     | 653    | 340   | 312    | 65    | 247            | 678    | 404                     | 331   |  |
|                         |            |           |               | 25.70  | 13.38 | 12.28  | 2.55  | 9.72           | 26.69  | 15.90                   | 13.03 |  |
|                         |            |           | MUB 78 >>     | 780    | 410   | 330    | 50    | 280            | 807    | 470                     | 345   |  |
|                         |            |           |               | 30.70  | 16.14 | 12.99  | 1.96  | 11.02          | 31.77  | 18.50                   | 13.58 |  |

## OPTIONAL ACCESSORIES



PATENTED HEAVY DUTY BRASS PADLOCK  
(Art. EXPL PADLOCK)



PATENTED COMBINATION PADLOCK  
(Art. EXPL COMBILOCK)



TSA LOCK™ COMBI PADLOCK  
(Art. EXPL TSA.DIGILOCK)




3-digits locks - on demand  
(case code + DL)

For mod.:

9413  
9433  
11413  
13513  
13527  
15416  
10826  
10840





[www.explorercases.com](http://www.explorercases.com)



REG. N. 1594  
UNI EN ISO 9001:2015